

CITIZEN WATCH BATTERY LIST

Updated July, 2020

NOTICE

- Be sure to purchase the right battery referring to calibars listed.
- CITIZEN watches use no alkaline-manganese battery except radio watch.
- The lifetime of the battery is the standard value of a new battery.
It depends on the frequency of the use of the alarm, lamp, sensor, chronograph, etc.
- The battery life shown here is the reference value calculated on the basis of the standard capacity of CITIZEN genuine battery and the average current consumption.
- The current consumption shown here is the reference value measured with the CITIZEN Multi Tester (CMT-3002).

注意

キャリバー名を確認し、必ず正しい電池を使用してください。

シチズンの時計は電波時計を除き、アルカリ性マンガン電池を使用しておりません。

- ・電池寿命は新品電池の標準値です。
この値はアラームや照明、センサー、クロノグラフなどの使用頻度によって異なります。
- ・電池寿命はシチズンの純正電池の容量の標準値と、消費電流の平均値を元に計算された参照値です。
- ・消費電流の値はシチズンマルチテスター(CMT-3002)で計測された参照値です。

Cal. No. キャリバー	BATTERY/電池			Movement Power Consumption 消費電流 MAX (μA)	Remarks/備考
	Parts No. 部品番号	Life 寿命 (years)	Voltage 電圧 (V)		
0100	-	-	-	-	CITIZEN REPAIR ONLY
0310	280-760	3	1.55	0.90	
0312	280-760	3	1.55	0.90	
0317	280-760	3	1.55	0.90	
0321	280-760	3	1.55	0.90	
0327	280-760	3	1.55	0.90	
0328	280-760	3	1.55	0.90	
0330	280-760	3	1.55	0.80	
0331	280-760	3	1.55	0.80	
0337	280-760	3	1.55	0.90	
0410	280-760	3.5	1.55	0.70	
0510	280-440	2	1.55	1.60	
0520	280-440	2	1.55	1.40	
053*	280-440	2	1.55	1.60	
0540	280-440	2	1.55	1.60	
0560	280-440	2	1.55	1.60	
0570	280-440	2	1.55	1.60	
058*	280-440	2	1.55	3.50	
0610	280-440	2	1.55	3.10	
0730	280-720	3	1.55	0.90	
085*	295-290	-	-	1.80	Eco-Drive
087*	295-290	-	-	1.80	Eco-Drive
1000	280-340	3	1.55	0.90	
1002	280-340	3	1.55	0.90	
1010	280-340	2	1.55	0.90	
1012	280-340	3	1.55	0.90	
1015	280-340	3	1.55	0.90	
1020	280-730	5	1.55	0.90	
1022	280-730	5	1.55	0.50	
1030	280-340	3	1.55	0.90	
1032	280-340	3	1.55	0.90	
1036	280-340	3	1.55	0.90	
1102	280-340	3	1.55	0.90	
1110	280-340	3	1.55	0.90	
1112	280-340	3	1.55	0.90	
1115	280-340	3	1.55	0.90	
1320	280-34	3	1.55	3.50	
1971	-	3	-	-	CITIZEN REPAIR ONLY
2010	280-390	2	1.55	1.50	
2020	280-39	3	1.55	1.30	
2529	280-207	10	3.0	0.90	
2530	280-310	5	1.55	1.00	
2565	280-207	10	3.0	0.70	
2710	280-560	2	1.55	1.20	
2760	280-560	2	1.55	1.20	
2810	280-56	2	1.55	1.20	
2813	280-560	2	1.55	1.20	
2818	280-560	2	1.55	1.20	
2820	280-56	2	1.55	1.20	
2823	280-56	2	1.55	1.20	
2828	280-56	2	1.55	1.20	
2830	280-56	2	1.55	1.20	
2831	280-56	2	1.55	1.20	
2832	280-18	5	1.55	1.20	
2833	280-56	2	1.55	1.20	
2834	280-56	2	1.55	1.20	
2838	280-56	2	1.55	1.20	
2840	280-56	2	1.55	1.20	
2850	280-56	2	1.55	1.20	
2851	280-56	2	1.55	1.20	
2852	280-29	2	1.55	1.20	
2853	280-56	2	1.55	1.20	
2854	280-56	2	1.55	1.20	
2855	-	3	-	-	CITIZEN REPAIR ONLY

Cal. No. キャリバー	BATTERY/電池			Movement Power Consumption 消費電流 MAX (μA)	Remarks/備考
	Parts No. 部品番号	Life 寿命 (years)	Voltage 電圧 (V)		
2858	280-56	2	1.55	1.20	
2860	280-56	2	1.55	1.20	
2863	280-56	2	1.55	1.20	
2868	280-56	2	1.55	1.20	
2880	280-29	2	1.55	1.50	
2930	280-58	2	1.55	0.90	
2931	280-59	2	1.55	0.90	
2950	280-60	2	1.55	0.90	
2951	280-59	2	1.55	0.90	
3220	280-34	3	1.55	0.50	
3270	280-70	3	1.55	0.30	
3470	280-61	2	1.55	1.40	
3710	280-44	3	1.55	1.50	
4350	280-39	1	1.55	3.00	
4391	280-39	3	1.55	1.50	
4420	280-68	2	1.55	0.25	
4421	280-69	2	1.55	0.25	
4422	280-68	2	1.55	0.25	
4520	280-68	2	1.55	0.30	
4711	280-73	2	1.55	1.00	
4713	280-56	2	1.55	1.00	
4771	280-73	2	1.55	1.00	
4773	280-56	3	1.55	1.00	
4774	280-56	3	1.55	1.00	
5030	298-225	-	-	0.90	Eco-Drive
5080	295-39	-	-	0.90	Eco-Drive
5500	280-31	5	1.55	0.90	
5501	280-31	5	1.55	0.90	
5502	280-31	5	1.55	0.90	
5503	-	5	-	-	CITIZEN REPAIR ONLY
5508	280-31	5	1.55	0.90	
5512	-	5	-	-	CITIZEN REPAIR ONLY
5520	280-31	5	1.55	0.90	
5530	280-31	5	1.55	0.90	
5537	280-31	1.5	1.55	3.40	
5538	280-48	1.5	1.55	3.40	
5590	280-51	5	1.55	1.00	
5777	280-73	2	1.55	0.90	
5920	280-59	3	1.55	0.70	
6139	280-34	3	1.55	1.20	
6160	280-34	3	1.55	1.20	
6290	280-34 280-72 (for EL)	3 2 (for EL)	1.55 1.55 (for EL)	1.20	
6380	280-34	3	1.55	1.20	
6390	280-34	3	1.55	1.20	
6750	280-44	2	1.55	3.10	
6800	280-44	2	1.55	2.00	
6810	280-44	2	1.55	2.00	
6820	280-44	2	1.55	2.00	
6830	280-44	2	1.55	2.00	
6840	280-44	2	1.55	2.00	
6850	280-44	2	1.55	2.00	
6860	280-44	2	1.55	2.00	
6870	280-44	2	1.55	2.50	
6885	280-44	2	1.55	4.80	
7400	280-206	2	3.0	1.90	
7630	280-39	2	1.55	1.70	
7680	280-39	2	1.55	1.30	
7700	-	2	-	-	CITIZEN REPAIR ONLY
7701	280-70	2	1.55	0.70	
7703	280-70	2	1.55	0.70	
7710	-	2	-	-	CITIZEN REPAIR ONLY
7711	280-73	2	1.55	0.70	

Cal. No. キャリバー	BATTERY/電池			Movement Power Consumption 消費電流 MAX (μA)	Remarks/備考
	Parts No. 部品番号	Life 寿命 (years)	Voltage 電圧 (V)		
7751	280-72	2	1.55	1.40	
7752	280-70	2	1.55	1.40	
7753	280-70	2	1.55	1.40	
8020	280-66	3	1.55	2.60	
8510	295-28	-	-	2.00	Eco-Drive
8511	295-33	-	-	2.00	Eco-Drive
8512	295-33	-	-	2.00	Eco-Drive
8515	295-33	-	-	2.00	Eco-Drive
8517	295-33	-	-	2.00	Eco-Drive
8625	295-33	-	-	2.00	Eco-Drive
8626	295-33	-	-	2.00	Eco-Drive
8627	295-28	-	-	2.00	Eco-Drive
8628	295-33	-	-	2.00	Eco-Drive
8629	295-33	-	-	2.00	Eco-Drive
8651	295-33	-	-	0.37	Eco-Drive
8676	295-330	-	-	0.55	Eco-Drive
8712	295-330	-	-	0.55	Eco-Drive
8826	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
8930	280-51	2	1.55	2.00	
8960	280-53	2	1.55	2.40	
8962	280-53	2	1.55	2.40	
8967	280-52	2	1.55	2.40	
8970	280-30	2	1.55	2.00	
9447	295-31	-	-	2.00	Eco-Drive
104*	280-34	3	1.55	0.90	
150*	-	1.5	-	-	CITIZEN REPAIR ONLY
200*	280-39	2	1.55	1.50	
203*	280-39	3	1.55	1.30	
204*	280-39	3	1.55	1.30	
21**	280-39	2	1.55	1.50	
22**	280-58	3	1.55	0.20	
250*	280-31	5	1.55	1.00	
251*	280-31	5	1.55	1.00	
272*	280-56	2	1.55	1.20	
273*	280-56	2	1.55	1.20	
287*	280-56	2	1.55	1.20	
31**	280-73	2	1.55	1.00	
333*	280-77	2	1.55	0.80	
341*	280-61	2	1.55	1.40	
342*	280-61	2	1.55	1.30	
343*	280-61	2	1.55	1.40	
345*	280-61	2	1.55	1.30	
348*	280-61	2	1.55	1.40	
35**	280-44	2	1.55	3.00	
36**	280-34	2	1.55	1.10	
372*	280-74	3	1.55	3.10	
374*	-	2	-	-	CITIZEN REPAIR ONLY
38*:*	280-31	5	1.55	1.10	
39**	280-66	2	1.55	0.50	
40**	280-39	2	1.55	1.70	
411*	298-182	-	-	1.00	Eco-Drive
422*	280-68	2	1.55	0.25	
43**	280-39	2	1.55	1.70	
46**	280-73	2	1.55	1.00	
476*	280-207	10	3.0	0.60	
542*	280-75	3	1.55	0.50	
543*	280-75	2	1.55	0.50	
551*	280-31	5	1.55	0.90	
56**	280-73	2	1.55	0.90	
571*	280-73	2	1.55	0.90	
581*	-	2	-	-	CITIZEN REPAIR ONLY
586*	-	2	-	-	CITIZEN REPAIR ONLY
593*	280-59	2	1.55	0.90	

Cal. No. キャリバー	BATTERY/電池			Movement Power Consumption 消費電流 MAX (μA)	Remarks/備考
	Parts No. 部品番号	Life 寿命 (years)	Voltage 電圧 (V)		
600*	280-34	3	1.55	1.20	
601*	280-34	3	1.55	1.20	
602*	280-34	3	1.55	1.20	
603*	280-34	3	1.55	1.20	
604*	280-34	3	1.55	1.20	
607*	280-70	3	1.55	1.30	
608*	280-34	3	1.55	1.20	
609*	280-34	3	1.55	1.20	
610*	280-34	3	1.55	1.20	
611*	280-34	3	1.55	1.20	
615*	280-34	3	1.55	1.20	
618*	280-34	3	1.55	1.20	
619*	280-34	3	1.55	1.20	
621*	280-70	2	1.55	1.20	
623*	280-70	2	1.55	1.00	
630*	280-34	3	1.55	1.20	
632*	280-34	3	1.55	1.20	
635*	280-34	3	1.55	1.20	
642*	280-70	2	1.55	1.00	
670*	280-74	3	1.55	3.10	
676*	280-44	2	1.55	3.10	
677*	280-44	2	1.55	2.50	
724*	280-44	2	1.55	3.00	
750*	280-31	5	1.55	0.90	
776*	280-39	2	1.55	1.40	
781*	298-177	-	-	1.00	Eco-Drive
782*	295-34	-	-	1.40	Eco-Drive
786*	298-245	-	-	1.40	Eco-Drive
787*	295-57	-	-	1.40	Eco-Drive
788*	298-245	-	-	1.40	Eco-Drive
790*	-	2	-	-	CITIZEN REPAIR ONLY
841*	280-206	2	3.0	1.60	
845*	208-206	2	3.0	2.30	
892*	280-15	2	1.55	4.00	
894*	280-30	2	1.55	2.00	
895*	280-44	2	1.55	2.40	
898*	280-30	2	1.55	3.60	
941*	295-31	-	-	3.00	Eco-Drive
945*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
96**	280-73	2	1.55	0.90	
971*	280-45	4	1.55	0.90	
980*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
A010	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
A060	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
A080	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
A11*	295-55	-	-	1.40	Eco-Drive
A13*	295-55	-	-	1.40	Eco-Drive
A160	295-44	-	-	1.40	Eco-Drive
A23*	295-55	-	-	1.40	Eco-Drive
A270	295-44	-	-	1.40	Eco-Drive
A31*	295-41	-	-	1.40	Eco-Drive
A41*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
A510	280-44	2	1.55	2.00	
A670	-	5	-	-	CITIZEN REPAIR ONLY
A690	-	5	-	-	CITIZEN REPAIR ONLY
A71*	295-56	-	-	1.40	Eco-Drive
A73*	295-56	-	-	1.40	Eco-Drive
A78*	295-56	-	-	1.40	Eco-Drive

Cal. No. キャリバー	BATTERY/電池			Movement Power Consumption 消費電流 MAX (μA)	Remarks/備考
	Parts No. 部品番号	Life 寿命 (years)	Voltage 電圧 (V)		
A800	280-44	3	1.55	0.90	
A930	295-76	-	-	0.70	Eco-Drive
A980	295-76	-	-	0.40	Eco-Drive
B020	295-61	-	-	1.50	Eco-Drive
B023	295-61	-	-	1.70	Eco-Drive
B030	295-76	-	-	0.70	Eco-Drive
B031	295-76	-	-	0.70	Eco-Drive
B033	295-61	-	-	0.60	Eco-Drive
B080	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
B11*	295-51	-	-	1.40	Eco-Drive
B230	295-63	-	-	1.50	Eco-Drive
B232	295-60	-	-	1.50	Eco-Drive
B234	295-63	-	-	1.50	Eco-Drive
B235	295-63	-	-	1.50	Eco-Drive
B236	295-60	-	-	1.50	Eco-Drive
B237	295-60	-	-	1.50	Eco-Drive
B51*	295-56	-	-	1.00	Eco-Drive
B560	295-56	-	-	1.00	Eco-Drive
B620	295-560	-	-	0.95	Eco-Drive
B690	295-39	-	-	0.60	Eco-Drive
B74*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
B800	295-56	-	-	1.20	Eco-Drive
B810	295-56	-	-	1.20	Eco-Drive
B870	295-56	-	-	0.80	Eco-Drive
B872	295-56	-	-	0.80	Eco-Drive
B876	295-56	-	-	1.20	Eco-Drive
B910	295-56	-	-	1.20	Eco-Drive
C010	280-39 (for Analog) 280-41 (for Digital)	3	1.55	1.60	
C02*	-	2	-	-	CITIZEN REPAIR ONLY
C03*	280-403	5	1.55	3.00	
C04*	280-206	2	3.0	2.20	
C05*	280-44	2	1.55	3.10	
C07*	280-44	2	1.55	3.10	
C08*	280-44	2	1.55	3.10	
C09*	280-44	2	1.55	3.10	
C100	280-44	2	1.55	3.10	
C110	280-44	2	1.55	3.10	
C112	280-44	2	1.55	3.10	
C115/6	280-44 280-209 (for EL)	2 2 (for EL)	1.55 3.0 (for EL)	3.10	
C120	280-44	2	1.55	3.10	
C13*	280-44	2	1.55	3.10	
C135/6	280-44 280-209 (for EL)	2 2 (for EL)	1.55 3.0 (for EL)	3.10	
C14*	280-206	2	3.0	2.20	
C150	280-44	2	1.55	3.10	
C162	280-44	2	1.55	3.10	
C170	280-44	3	1.55	2.20	
C180	280-44	3	1.55	2.20	
C20*	280-44	3	1.55	2.20	
C21*	280-44	2	1.55	3.10	
C220	280-44	2	1.55	3.10	
C230	280-44	2	1.55	3.10	
C24*	280-44	2	1.55	3.10	
C29*	280-44	3	1.55	2.60	
C300	280-44	3	1.55	1.50	
C310	280-44	2	1.55	3.20	

Cal. No. キャリバー	BATTERY/電池			Movement Power Consumption 消費電流 MAX (μA)	Remarks/備考
	Parts No. 部品番号	Life 寿命 (years)	Voltage 電圧 (V)		
C320	280-44	2	1.55	3.00	
C330	280-44	2	1.55	3.50	
C35*	280-44	2	1.55	1.80	
C390	280-74	2	1.55	2.80	
C40*	280-44	2	1.55	2.60	
C410	280-44	2	1.55	3.30	
C420	280-44	2	1.55	3.30	
C430	280-44	2	1.55	3.30	
C440	280-44	2	1.55	3.30	
C45*	280-44	2	1.55	3.30	
C46*	280-44	2	1.55	3.00	
C47*	280-44	2	1.55	2.70	
C48*	280-44	3	1.55	1.95	
C50*	—	2	—	—	CITIZEN REPAIR ONLY
C52*	—	2	—	—	CITIZEN REPAIR ONLY
C60*	295-38	—	—	3.00	Eco-Drive
C61*	295-38	—	—	3.00	Eco-Drive
C650	295-40	—	—	1.88	Eco-Drive
C660	295-56	—	—	2.00	Eco-Drive
C690	295-44	—	—	2.10	Eco-Drive
C700	280-44	2	1.55	2.80	
C710	280-44	2	1.55	2.80	
C720	280-44	2	1.55	2.80	
C800	280-44	2	1.55	3.20	
C810	280-74	2	1.55	3.20	
C82*	280-74	2	1.55	3.20	
C830	280-74	2	1.55	3.20	
C900	—	2	—	—	CITIZEN REPAIR ONLY
D010	280-204	2	3.0	1.80	
D031	280-904 (for Radi) 280-34 (for Digital)	2	1.5X3pc 1.55	1.30	
D04*	280-204	3	3.0	2.20	
D050	280-204	3	3.0	1.80	
D06*	280-204	3	3.0	2.20	
D07*	280-204	3	3.0	2.20	
D080	280-403	—	—	4.00	Eco-Drive
D090	280-15	2	1.55X3pc	2.50	
D10*	280-204	3	3.0	2.20	
D110	280-204	3	3.0	2.00	
D120	280-204	3	3.0	2.60	
D13*	280-204 280-206	3	3.0	2.40	
D150	280-208	3	3.0	2.40	
D160	280-209	2	3.0	1.60	
D170	208-206	2	3.0	3.70	
D18*	208-204	3	3.0	1.80	
D20*	—	3	—	—	CITIZEN REPAIR ONLY
D202	280-204	2	3.0	2.20	
D28*	280-204	3	3.0	1.40	
D29*	280-204	3	3.0	1.40	
D31*	280-206	3	3.0	—	
D320	280-206	3	3.0	1.70	
D370	280-209	2	3.0	1.00	
D38*	280-209	2	3.0	—	
D39*	280-209	3	3.0	—	
D400	280-205	1	3.0	2.30	
D410	280-205	1	3.0	2.30	
D420	280-205	1	3.0	2.30	
D50*	280-209	2	3.0	3.00	
D510	280-209	2	3.0	3.00	
D600	295-530 295-533	—	—	3.00	Eco-Drive

Cal. No. キャリバー	BATTERY/電池			Movement Power Consumption 消費電流 MAX (μA)	Remarks/備考
	Parts No. 部品番号	Life 寿命 (years)	Voltage 電圧 (V)		
D70*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
D71*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
D800	208-206	3	3.0	3.00	
E000	295-51	-	-	0.80	Eco-Drive
E001	295-51	-	-	0.50	Eco-Drive
E010	295-51	-	-	0.80	Eco-Drive
E011	295-51	-	-	0.50	Eco-Drive
E030	295-51	-	-	0.80	Eco-Drive
E031	295-51	-	-	0.50	Eco-Drive
E068	295-51	-	-	0.80	Eco-Drive
E100	295-51	-	-	0.80	Eco-Drive
E101	295-51	-	-	0.50	Eco-Drive
E110	295-51	-	-	0.80	Eco-Drive
E111	295-51	-	-	0.50	Eco-Drive
E168	295-51	-	-	0.80	Eco-Drive
E210	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
E31*	295-758	-	-	1.00	Eco-Drive
E410	295-51	-	-	1.40	Eco-Drive
E510	295-56	-	-	1.30	Eco-Drive
E60*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
E61*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
E650	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
E660	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
E67*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
E69*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
E71*	295-56	-	-	0.80	Eco-Drive
E76*	295-56	-	-	1.20	Eco-Drive
E784	295-56	-	-	1.20	Eco-Drive
E81*	295-56	-	-	0.80	Eco-Drive
E82*	295-560	-	-	1.16	Eco-Drive
E86*	295-56	-	-	1.00	Eco-Drive
E87*	295-56	-	-	1.00	Eco-Drive
E930	295-55	-	-	1.35	thermoelectric generation function 熱発電機能
F031	280-212	10	3.0	0.60	
F100	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
F150	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
F158	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
F230	280-212	3	3.0	1.60	
F315	280-212	3	3.0	1.55	
F325	280-212	2	3.0	1.90	
F335	280-212	3	3.0	1.90	
F50*	280-39	2	1.55	1.40	
F510	280-39	2	1.55	1.40	
F52*	280-39	2	1.55	1.40	
F780	295-76	-	-	0.20	Eco-Drive
F810	295-55	-	-	0.70	Eco-Drive
F90*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
F950	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY

Cal. No. キャリバー	BATTERY/電池			Movement Power Consumption 消費電流 MAX (μA)	Remarks/備考
	Parts No. 部品番号	Life 寿命 (years)	Voltage 電圧 (V)		
F910	295-55	-	-	0.70	Eco-Drive
F990	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
G30*	280-31	3	1.55	1.60	
G43*	295-51	-	-	0.40	Eco-Drive
G53*	295-51	-	-	0.40	Eco-Drive
G62*	295-67	-	-	0.80	Eco-Drive
G67*	295-67	-	-	0.80	Eco-Drive
G72*	—	2	-	-	CITIZEN REPAIR ONLY
G82*	295-66	-	-	0.80	Eco-Drive
G872	295-76	-	-	0.80	Eco-Drive
G90*	295-69	-	-	-	Eco-Drive
G91*	295-758	-	-	2.35	Eco-Drive
H010	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H03*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H05*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H060	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H0F*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H10*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H10A	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H11*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H112	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H11A	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H128	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H144	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H176	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H183	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H240	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H246	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H33*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H335	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H336	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H39*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H41*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H43*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H46*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H48*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H49*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H50*	295-51	-	-	0.50	Eco-Drive

Cal. No. キャリバー	BATTERY/電池			Movement Power Consumption 消費電流 MAX (μA)	Remarks/備考
	Parts No. 部品番号	Life 寿命 (years)	Voltage 電圧 (V)		
H504	295-51	-	-	0.50	Eco-Drive
H57*	295-51	-	-	0.50	Eco-Drive
H61*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H80*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H820	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H909	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H950	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
H990	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
J015	295-76	-	-	0.50	Eco-Drive
J165	295-76	-	-	0.50	Eco-Drive
J250	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
J280	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
J290	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
J620	295-68	-	-	0.11	Eco-Drive
J7**	295-510	-	-	0.41	Eco-Drive
J8**	295-510	-	-	0.41	Eco-Drive
J850	295-510	-	-	0.41	Eco-Drive
P030	280-39	1.5	1.55	1.30	
P031	280-39	2	1.55	1.20	
P040	280-39	2	1.55	1.60	
P070	280-53	2	1.55	1.80	
P08*	280-52	2	1.55	1.80	
P100	280-204	5	3.0	1.60	
P110	280-204	5	3.0	1.60	
P120	280-204	5	3.0	0.90	
P130	280-205	7	3.0	1.80	
P150	280-39	1.5	1.55	1.20	
P160	280-39	1.5	1.55	1.00	
P180	280-52	2	1.55	1.50	
P190	280-204	3	3.0	1.50	
P240	280-901	1	—	—	
P250	280-204	1.5	—	—	
P260	280-902	2	—	—	
P270	280-204	1	—	—	
P280	280-39	1.5	—	—	
P290	280-13	1.5	—	—	
P300	280-209	1	—	—	
T01*	280-51	1.5	1.55	2.90	
U010	280-44	3	1.55	5.00	
U040	280-207	2	3.0	2.00	
U050	280-207	2	3.0	2.10	
U070	280-207	2	3.0	2.50	
U080	280-207	2	3.0	2.30	
U10*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
U20*	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
U600	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
U680	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
U70*	295-758	-	-	1.26	Eco-Drive
W410	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY

Cal. No. キャリバー	BATTERY/電池			Movement Power Consumption 消費電流 MAX (μA)	Remarks/備考
	Parts No. 部品番号	Life 寿命 (years)	Voltage 電圧 (V)		
W510	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
W760	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY
W770	-	-	-	-	Eco-Drive CITIZEN REPAIR ONLY