


01 Standard



Basic



2025
Height: 4.15mm
3 year battery life (SR626SW)



2025



2035
Height: 4.15mm
3 year battery life (SR626SW)



2035



Super 2035
4 year battery life (SR626SW)



2037
Height: 3.15mm
Small seconds for GEN75
3 year battery life (SR626SW)



2034
Height: 3.15mm
Small seconds for GEN75
14 month battery life (SR626SW)



1L40
Height: 2.95mm
Small seconds for LADIES
3 year battery life (SR626SW)



1L45
Height: 2.85mm
Small seconds for GEN75
3 year battery life (SR626SW)



6 3/4" x 8"

6 3/4" x 8"

10 1/2"

11 1/2"

13 1/2"

Small Second

6 3/4" x 8"



1L40
Height: 2.95mm
Small seconds for LADIES
3 year battery life (SR626SW)



1L45
Height: 2.85mm
Small seconds for GEN75
3 year battery life (SR626SW)



10 Year Battery



1L60
Height: 3.35mm
10 year battery life (CR1616)



2315
Height: 4.15mm
3 year battery life (SR626SW)



10 1/2"



2015
Height: 4.15mm
3 year battery life (SR626SW)



2005
Height: 4.15mm
3 year battery life (SR626SW)



10 1/2"



2115
Height: 4.15mm
3 year battery life (SR626SW)



2105
Height: 4.15mm
3 year battery life (SR626SW)



11 1/2"



2315
Height: 4.15mm
3 year battery life (SR626SW)



2305
Height: 4.15mm
3 year battery life (SR626SW)



13 1/2"



2415
Height: 4.35mm
3 year battery life (SR626SW)



2405
Height: 4.35mm
3 year battery life (SR626SW)



13 1/2"



2S60
Height: 3.95mm
10 year battery life (CR2012)



2S66
Height: 4.22mm
10 year battery life (CR2012)



10 1/2"

04

Multi-function

Long Life Battery
 Shock detection
 Click feeling of push button
 Moon phase display

10 1/2'''



6P28
Height 3.45mm
1 eye (Date)
3 year battery life (SR621SW)



6P23
Height 3.45mm
2 eyes (Date/24 hour)
3 year battery life (SR621SW)




6P27
Height 3.45mm
3 eyes (Day/Date/24 hour)
3 year battery life (SR621SW)



6P29
Height 3.45mm
3 eyes (Day/Date/24 hour)
3 year battery life (SR621SW)



6P21
Height 3.45mm
3 eyes (Moon)
3 year battery life (SR621SW)



6P20
Height 3.45mm
3 eyes (Moon/24 hour)
3 year battery life (SR621SW)



6P26
Height 3.45mm
1 eye (Date)
3 year battery life (SR621SW)



6P25
Height 3.45mm
2 eyes (Day/Date)
3 year battery life (SR621SW)



6P73
Height 3.45mm
3 eyes (Day/Date/24 hour)
3 year battery life (SR621SW)



6P11
Height 4.30mm
Date/24 hour/12H
3 year battery life (SR621SW)



6P15
Height 4.30mm
Day/Date/24 hour/12H
3 year battery life (SR621SW)



6P00
Height 3.45mm
3 eyes (Moon/24 hour)
3 year battery life (SR621SW)

12 1/2'''



JP21
Height 4.30mm
Day/Date/24 hour/12H
3 year battery life (SR621SW)



JP27
Height 4.30mm
Day/Date/24 hour/12H
3 year battery life (SR621SW)

Dual-Time / Long Life Battery



JP75
Height 5.55mm
Day/Date/24 hour/12H
3 year battery life (SR621SW)



JP75
Height 5.55mm
Day/Date/24 hour/12H
3 year battery life (SR621SW)

Dual-Time

12 1/2'''



JP11
Height 4.30mm
Date/24 hour/12H
3 year battery life (SR621SW)



JP11
Height 4.30mm
Date/24 hour/12H
3 year battery life (SR621SW)



JP15
Height 4.30mm
Day/Date/24 hour/12H
3 year battery life (SR621SW)



JP15
Height 4.30mm
Day/Date/24 hour/12H
3 year battery life (SR621SW)

Moon-Phase

10 1/2'''



6P21
Height 3.45mm
3 eyes (Moon)
3 year battery life (SR621SW)



6P24
Height 3.45mm
3 eyes (Moon)
3 year battery life (SR621SW)



6P00
Height 3.45mm
3 eyes (Moon/24 hour)
3 year battery life (SR621SW)

* Watch case construction for JP11, JP15 and JP25 is compatible with JS05, JS15 and JS25

05 Chronograph



Regular OS Series

- Features of OS Series**
- Quick Reset (by Heart Cam Reset System)
 - Click Feeling Push Button Handling
 - Center Chrono Second Hand Max. 0.1 μ Nm
 - TACHYMETER Available

13 1/2"



OS10
Height 4.13mm
Chrono hour / min / sec
5 year battery life (SR927W)



OS00
Height 5.10mm
Chrono hour / min / sec
5 year battery life (SR927W)



OS30
Height 4.13mm
Chrono hour / min / sec
5 year battery life (SR927W)



OS20
Height 5.10mm
Chrono min / sec, 24 hour
5 year battery life (SR927W)



OS11
Height 4.13mm
Chrono min / sec, 24 hour
5 year battery life (SR927W)



OS21
Height 5.10mm
Chrono min / sec, 24 hour
5 year battery life (SR927W)



OS60
Height 4.13mm
Chrono hour / min / sec, 120 second
2 year battery life (SR927W)



OS11
Height 4.13mm
Chrono min / sec, 24 hour
5 year battery life (SR927W)




OS21
Height 5.10mm
Chrono min / sec, 24 hour
5 year battery life (SR927W)

- 4 15 Long Life Battery Shock detection Quick reset Super runner Click feeling of push button 4 Beats hand movement

Features of 6S Series

- Quick Reset (by Heart Cam Reset System)
- Click Feeling Push Button Handling
- 4 Beats Center Chrono Second Hand
- Balanceable Weight of Hands
Minute Hand Max. 1.00 μ Nm
Center Chrono Second Hand Max. 0.40 μ Nm
Other Small Hands Max. 0.04 μ Nm
- High Hand Standard
- TACHYMETER Available



Large 6S Series




15"



6S10
Height 4.50mm
Chrono min / sec, 120 second
4 year battery life (SR927W)



6S20
Height 4.50mm
Chrono min / sec, 120 second
4 year battery life (SR927W)



6S21
Height 4.50mm
Chrono min / sec, 120 second
4 year battery life (SR927W)




6S30
Height 4.50mm
Chrono min / sec, 120 second
4 year battery life (SR927W)




6S11
Height 4.50mm
Chrono min / sec, 120 second
4 year battery life (SR927W)



6S21
Height 4.50mm
Chrono min / sec, 120 second
4 year battery life (SR927W)



6S21
Height 4.50mm
Chrono min / sec, 120 second
3 year battery life (SR927W)



6S21
Height 4.50mm
Chrono min / sec, 120 second
3 year battery life (SR927W)

06 Small Second Chronograph

06 Small Second Chronograph



Small FS Series

Features of FS Series

- Center chron second
- Quick Reset (by Heart-Cam Reset System)
- Click Feeling Push Button Handling
- TACHYMETER Available

- Shock detection
- Quick reset
- Click feeling of push button
- Parallel push button

10/12'''



FS10
Height 4.10mm
Chrono. m/ sec. 24 hour
2 year battery life (SR621SW)



FS20
Height 4.10mm
Chrono. m/ sec. 24 hour
2 year battery life (SR626SW)



FS00
Height 4.13mm
Chrono. m/ sec. 24 hour
2 year battery life (SR623SW)



JS Series

Features of JS Series

- Suitable for Square Watch Cases (JS without Date)
- Varied Dial Designs Available
- High Hand Versions Available
- Click Feeling Push Button Handling (JS with date)

12/12'''



JS15
Height 4.30mm
Chrono. 30min/sec. 24 hour
3 year battery life (SR621SW)



JS25
Height 4.30mm
Chrono. 30min/sec. 24 hour
3 year battery life (SR621SW)



JS10
Height 4.18mm
Chrono. 30min/sec. 24 hour
3 year battery life (SR621SW)



JS25
Height 4.30mm
Chrono. 30min/sec. 24 hour
3 year battery life (SR621SW)



JS25
Height 4.30mm
Chrono. 30min/sec. 24 hour
3 year battery life (SR621SW)



JS20
Height 4.18mm
Chrono. 30min/sec. 24 hour
3 year battery life (SR621SW)



JS05
Height 4.20mm
Chrono. 30min/sec. 24 hour
3 year battery life (SR621SW)



JS05
Height 4.20mm
Chrono. 30min/sec. 24 hour
3 year battery life (SR621SW)



JS00
Height 4.18mm
Chrono. 30min/sec. 24 hour
3 year battery life (SR621SW)



JS55
Height 4.18mm
Chrono. 30min/sec. 24 hour
3 year battery life (SR621SW)



JS55
Height 4.18mm
Chrono. 30min/sec. 24 hour
3 year battery life (SR621SW)



JS55
Height 4.18mm
Chrono. 30min/sec. 24 hour
3 year battery life (SR621SW)

*Watch case construction for JS05, JS15 and JS25 is compatible with JP11, JP15 and JP25

07 Standard Automatic

Long Power Reserve

11 1/2"

Cal. 8315 Longer Power Reserve — Proof of MIYOTA's relentless efforts and passion for mechanical movement

Establishing longer running times for mechanical watches have long been the pursuit of many watchmakers as a universal product value. For MIYOTA, this challenge is met with evolving technologies, material quality and design of its movements.

Cal.8315, with its impressive 60-hour power-reserve function – enables mechanical watches to keep running for a full weekend.

Besides the practicality and convenience of the longer usage, the movement's precision parts including the patented anti-oxidation blue screws add to the aesthetic beauty.



8315

60-hour power-reserve
Height: 5.67mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding
Quick date setting

* Case, dial, hands are compatible with the 82 series.



3 Hands Date

Standard

11 1/2"



8215

Height: 5.67mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding
Quick date setting



8215 Gilt

Height: 5.67mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding
Quick date setting



3 Hands Date



8205

Height: 5.67mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding
Quick day / date setting



8205 Gilt

Height: 5.67mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding
Quick day / date setting



3 Hands Day / Date

Small Hands

11 1/2"



8217

Height: 5.67mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding
Quick date setting



8217 Gilt

Height: 5.67mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding
Quick date setting



3 Hands Date / 24H Display

Open-Heart

11 1/2"



82S0

Height: 5.67mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding



82S0 Gilt

Height: 5.67mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding



3 Hands



82S5

Height: 5.67mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding



82S5 Gilt

Height: 5.67mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding



2 Hands / Small Second



82S7

Height: 5.67mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding



82S7 Gilt

Height: 5.67mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding



2 Hands / Small Second / 24H Display

Skeleton

11 1/2"



8N24

Height: 5.55mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding



8N24 Gilt

Height: 5.55mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding



3 Hands



8N40

Height: 5.55mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding



8N40 Gilt

Height: 5.55mm / 21 jewels
21,600 vibrations per hour
Stop second device
Automatic and hand winding



2 Hands / Small Second

08 Premium Automatic

Slim = Beautiful

The ultimate beauty and its fine feeling of tension brought by the slimmest of Miyota Cal.9015. To be slim (= beautiful) is an essential element for the superior watches today. Cal.9015 which height is only 3.30mm gives the sophisticated beauty and pleasure to the watch on your wrist.

Made in Japan + High accuracy = High reliability

Ultra thin and small parts for Cal.9015 are made in our factory with the micron clearance management. These highly precise parts are assembled by latest facilities in Japan, and is qualified by a strict quality control. The unite of sophisticated technology and proficient skills of engineers, creates the high reliability of Cal.9015.



11 1/2'''

9039 Height 3.30mm / 24 jewels 28800 vibrations per hour Stop second device Automatic and hand winding Quick date setting	3 Hands	9015 Height 3.30mm / 24 jewels 28800 vibrations per hour Stop second device Automatic and hand winding Quick date setting	3 Hands Date	9015 Gilt Height 3.30mm / 24 jewels 28800 vibrations per hour Stop second device Automatic and hand winding Quick date setting	3 Hands Date

Open-Heart

11 1/2'''

9029 Height 3.50mm / 24 jewels 28800 vibrations per hour Automatic and hand winding	2 Hands	9055 Height 3.50mm / 24 jewels 28800 vibrations per hour Automatic and hand winding	3 Hands	9029 Low Hands Height Height 3.50mm / 24 jewels 28800 vibrations per hour Automatic and hand winding	3 Hands

Complication

13 1/2'''

9100 Height 5.52mm / 26 jewels 28800 vibrations per hour Stop second device Automatic and hand winding Quick date setting	3 Hands Date Month / Day	9120 Height 5.52mm / 26 jewels 28800 vibrations per hour Stop second device Automatic and hand winding Quick date setting	3 Hands Date Month / Day	9132 Height 5.52mm / 26 jewels 28800 vibrations per hour Stop second device Automatic and hand winding Quick date setting	3 Hands Date 24H Display

9133 Height 5.52mm / 26 jewels 28800 vibrations per hour Stop second device Automatic and hand winding Quick date setting	3 Hands Date Power reserve